


How to setup new Twitter Setting;
Please open <https://dev.twitter.com/apps/new> then;

Step1: You will see this window fill the details.



The screenshot shows a web browser window at the URL <https://dev.twitter.com/apps/new>. The page title is "Create an application | Twitter Developers". The navigation bar includes "Developers", "API Health", "Blog", "Discussions", "Documentation", and a search bar. The main heading is "Create an application".

Application Details

Name: *

Your application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max.

Description: *

Your application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max.

Website: *

Your application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified URL is used in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. (If you don't have a URL yet, just put a placeholder here but remember to change it later.)

Callback URL:

Where should we return after successfully authenticating? For [@Anywhere applications](#), only the domain specified in the callback will be used. [OAuth 1.0a](#) applications should explicitly specify their `oauth_callback` URL on the request token step, regardless of the value given here. To restrict your application from using callbacks, leave this field blank.

Developer Rules Of The Road

Last Update: July 2, 2013.

Rules of the Road

Twitter maintains an open platform that supports the millions of people around the world who are sharing and discovering what's happening now. We want to empower our ecosystem partners to build valuable businesses around the information flowing through Twitter. At the same time, we aim to strike a balance between encouraging interesting development and protecting both Twitter's and users' rights.

So, we've come up with a set of Developer Rules of the Road ("Rules") that describes the policies and philosophy around what type of innovation is permitted with the content and information shared on Twitter.

The Rules will evolve along with our ecosystem as developers continue to innovate and find new, creative ways to use the Twitter API, so please check back periodically to see the current version. Don't do anything prohibited by the Rules and talk to us if you think we should make a change or give you an exception.

Step2: Press Create your twitter application.

Create an application | Twitter Developers

Developers API Health Blog Discussions Documentation Search

Application Details

Name: *

WebbuTwitterDemc

Your application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max.

Description: *

Demo Web Application

Your application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max.

Website: *

http://www.webbudesign.com

Your application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified URL is used in the source attribution for tweets created by your application and will be shown in user-facing authorization screens. (If you don't have a URL yet, just put a placeholder here but remember to change it later.)

Callback URL:

Where should we return after successfully authenticating? For [@Anywhere applications](#), only the domain specified in the callback will be used. [OAuth 1.0a](#) applications should explicitly specify their `oauth_callback` URL on the request token step, regardless of the value given here. To restrict your application from using callbacks, leave this field blank.

Developer Rules Of The Road

Last Update: July 2, 2013.

Rules of the Road

Twitter maintains an open platform that supports the millions of people around the world who are sharing and discovering what's happening now. We want to empower our ecosystem partners to build valuable businesses around the information flowing through Twitter. At the same time, we aim to strike a balance between encouraging interesting development and protecting both Twitter's and users' rights.

So, we've come up with a set of Developer Rules of the Road ("Rules") that describes the policies and philosophy around what type of innovation is permitted with the content and information shared on Twitter.

The Rules will evolve along with our ecosystem as developers continue to innovate and find new, creative ways to use the Twitter API, so please check back periodically to see the current version. Don't do anything prohibited by the Rules and talk to us if you think we should make a change or give you an exception.

If your application will eventually need more than 1 million user tokens, or you expect your [embedded Tweets](#) and [embedded timelines](#) to exceed 10 million daily impressions, you will need to talk to us directly about your access to the Twitter API as you may be subject to additional terms. Furthermore, applications that attempt to replicate Twitter's core user experience (as described in Section 1.5 below) will need our permission to

Yes, I agree

By clicking the "I Agree" button, you acknowledge that you have read and understand this agreement and agree to be bound by its terms and conditions.

Create your Twitter application

Step4: Click to OAuth tool Tab. And copy Access Token & secret to the Settings > WMF Shortcode Settings

Developers API Health Blog Discussions Documentation Search

Home → My applications

654987654321464976514

Details Settings **OAuth tool** @Anywhere domains Reset keys Delete

OAuth Settings

Consumer key: *
yrbTMAeconwIXQ3QNaqw

Consumer secret: *
ke1A6UPYj00iCQHbd5JL9W6JbtY4ox2buSbFELo
Remember this should not be shared.

Access token: *
745103112-...VEvAOR0E...

Access token secret: *
lp0h...F6QCJ34
Remember this should not be shared.

Request Settings

Request type: *
 GET
 POST
 DELETE
 PUT
 HEAD

Request URI: *
https://api.twitter.com/1/
The full URI, without parameters. For example: `https://api.twitter.com/1/statuses/home_timeline.json`

Request query:
The parameters for your request. For example: `include_entities=true&page=2`. Note these parameters will be sent on the querystring for GET requests, and in the request body for POST requests.

[See OAuth signature for this request](#)

That is it. Now you can use twitter shortcut as we told in help documentation. This help document created 17/08/2013 for changed twitter api setting.